



Eastern Research Group
601 Keystone Park Drive
Suite 700
Morrisville, NC 27560

August 05, 2016

Mr. Dave Shelow
U.S. Environmental Protection Agency - OAQPS
109 T.W. Alexander Drive
Research Triangle Park, NC 27709
Project Name: Chloroprene

Dear Mr. Dave Shelow,

This report contains the analytical results for the sample(s) received under chain(s) of custody by Eastern Research Group on 07/26/16 11:17 through 07/28/16 10:36.

The test results in this report are in compliance with NELAC accreditation requirements for the certified parameters. All analyses were performed as described in the US EPA-approved QAPP, under the contract for UATMP, NATTS, CSATAM, PAMS and NMOC support (US EPA Contract No. EP-D-14-030). This cover page is an integral part of this report, and any exceptions or comments are noted on the last page.

Release of the data contained in this data package and in the data submitted in the electronic data deliverable, has been authorized by the Program Manager, or the Program Manager's designee as verified by the following signature.

The issuance of the final Certificate of Analysis takes precedence over any previous Report. If you have any questions, please contact me at 919-468-7924.

Sincerely,

Julie Swift
Program Manager
julie.swift@erg.com

The information contained in this report and its attachment(s) are intended only for the use of the individual to whom it is addressed and may contain information that is privileged, confidential, or exempt from disclosure. If the reader of this message is not the intended recipient, you are hereby notified that any dissemination, distribution, or copying of this report is strictly prohibited. If you have received this report in error, please notify julie.swift@erg.com and delete the report without retaining any copies.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency - OAQPS

109 T.W. Alexander Drive

Research Triangle Park, NC 27709

ATTN: Mr. Dave Shelow

PHONE: (919) 541-2364 **FAX:** -

FILE #: 0344.00

REPORTED: 08/05/16 09:09

SUBMITTED: 07/26/16 to 07/28/16

AQS SITE CODE:

SITE CODE: Chloroprene

ANALYTICAL REPORT FOR SAMPLES

<u>SampleName</u>	<u>LabNumber</u>	<u>Matrix</u>	<u>Sampled</u>	<u>Received</u>
Ochsner Hospital	6072631-01	Air	07/24/16 12:27	07/26/16 11:17
238 Chad Baker	6072631-02	Air	07/24/16 12:47	07/26/16 11:17
Fifth Ward Elementary School	6072631-03	Air	07/24/16 12:43	07/26/16 11:17
Acorn and Hwy 44	6072631-04	Air	07/24/16 12:34	07/26/16 11:17
Levee C1	6072631-05	Air	07/24/16 12:39	07/26/16 11:17
Levee C2	6072631-06	Air	07/24/16 12:39	07/26/16 11:17
East St. John the Baptist High	6072631-07	Air	07/24/16 12:23	07/26/16 11:17
Levee	6072822-01	Air	07/27/16 12:27	07/28/16 10:36
238 Chad Baker	6072822-02	Air	07/27/16 12:34	07/28/16 10:36
Ochsner Hospital C1	6072822-03	Air	07/27/16 12:14	07/28/16 10:36
Ochsner Hospital C2	6072822-04	Air	07/27/16 12:14	07/28/16 10:36
Acorn and Hwy 44	6072822-05	Air	07/27/16 12:23	07/28/16 10:36
Fifth Ward Elementary School	6072822-06	Air	07/27/16 12:30	07/28/16 10:36
East St. John the Baptist High	6072822-07	Air	07/27/16 12:10	07/28/16 10:36



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency - OAQPS

109 T.W. Alexander Drive

Research Triangle Park, NC 27709

ATTN: Mr. Dave Shelow

PHONE: (919) 541-2364 FAX: -

FILE #: 0344.00

REPORTED: 08/05/16 09:09

SUBMITTED: 07/26/16 to 07/28/16

AQS SITE CODE:

SITE CODE: Chloroprene

Description: Ochsner Hospital

Lab ID: 6072631-01

Sampled: 07/24/16 12:27

Pressure @ Receipt: 8.5" Hg

Canister #: 5134

Received: 07/26/16 11:17

Comments: PR-9 Start 12:26 7/23/16

Analyzed: 07/28/16 15:24

Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbv</u>
Chloroprene	2.76	10.00		0.010



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency - OAQPS

109 T.W. Alexander Drive

Research Triangle Park, NC 27709

ATTN: Mr. Dave Shelow

PHONE: (919) 541-2364 FAX: -

FILE #: 0344.00

REPORTED: 08/05/16 09:09

SUBMITTED: 07/26/16 to 07/28/16

AQS SITE CODE:

SITE CODE: Chloroprene

Description: 238 Chad Baker

Lab ID: 6072631-02

Sampled: 07/24/16 12:47

Pressure @ Receipt: 7.5" Hg

Canister #: A21015

Received: 07/26/16 11:17

Comments: PR-18 Start 12:46 7/23/16

Analyzed: 07/28/16 16:28

Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbv</u>
Chloroprene	4.61	16.70		0.010



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency - OAQPS

109 T.W. Alexander Drive

Research Triangle Park, NC 27709

ATTN: Mr. Dave Shelow

PHONE: (919) 541-2364 FAX: -

FILE #: 0344.00

REPORTED: 08/05/16 09:09

SUBMITTED: 07/26/16 to 07/28/16

AQS SITE CODE:

SITE CODE: Chloroprene

Description: Fifth Ward Elementary School

Lab ID: 6072631-03

Sampled: 07/24/16 12:43

Pressure @ Receipt: 8.50" Hg

Canister #: 036

Received: 07/26/16 11:17

Comments: PR-5 Start 12:42 7/23/16

Analyzed: 07/28/16 17:31

Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbv</u>
Chloroprene	2.23	8.09		0.010



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency - OAQPS

109 T.W. Alexander Drive

Research Triangle Park, NC 27709

ATTN: Mr. Dave Shelow

PHONE: (919) 541-2364 FAX: -

FILE #: 0344.00

REPORTED: 08/05/16 09:09

SUBMITTED: 07/26/16 to 07/28/16

AQS SITE CODE:

SITE CODE: Chloroprene

Description: Acorn and Hwy 44

Lab ID: 6072631-04

Sampled: 07/24/16 12:34

Pressure @ Receipt: 5.0" Hg

Canister #: SAT120

Received: 07/26/16 11:17

Comments: PR-19 Start 12:33 7/23/16

Analyzed: 07/28/16 18:33

Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbv</u>
Chloroprene	2.50	9.07		0.010



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency - OAQPS

109 T.W. Alexander Drive

Research Triangle Park, NC 27709

ATTN: Mr. Dave Shelow

PHONE: (919) 541-2364 FAX: -

FILE #: 0344.00

REPORTED: 08/05/16 09:09

SUBMITTED: 07/26/16 to 07/28/16

AQS SITE CODE:

SITE CODE: Chloroprene

Description: Levee C1

Lab ID: 6072631-05

Sampled: 07/24/16 12:39

Pressure @ Receipt: 8.00" Hg

Canister #: 19284

Received: 07/26/16 11:17

Comments: Col 1 PR-7 Start 12:38 7/23/16

Analyzed: 07/28/16 19:37

Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbv</u>
Chloroprene	2.61	9.47		0.010



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency - OAQPS

109 T.W. Alexander Drive

Research Triangle Park, NC 27709

ATTN: Mr. Dave Shelow

PHONE: (919) 541-2364 FAX: -

FILE #: 0344.00

REPORTED: 08/05/16 09:09

SUBMITTED: 07/26/16 to 07/28/16

AQS SITE CODE:

SITE CODE: Chloroprene

Description: Levee C2

Lab ID: 6072631-06

Sampled: 07/24/16 12:39

Pressure @ Receipt: 8.00" Hg

Canister #: SAT005

Received: 07/26/16 11:17

Comments: Col 2 PR-10 Start 12:38 7/23/16

Analyzed: 07/28/16 20:40

Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbv</u>
Chloroprene	2.76	10.00		0.010



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency - OAQPS

109 T.W. Alexander Drive

Research Triangle Park, NC 27709

ATTN: Mr. Dave Shelow

PHONE: (919) 541-2364 FAX: -

FILE #: 0344.00

REPORTED: 08/05/16 09:09

SUBMITTED: 07/26/16 to 07/28/16

AQS SITE CODE:

SITE CODE: Chloroprene

Description: East St. John the Baptist High

Lab ID: 6072631-07

Sampled: 07/24/16 12:23

Pressure @ Receipt: 7.5" Hg

Canister #: 406

Received: 07/26/16 11:17

Comments: PR-2 Start 12:22 7/23/16

Analyzed: 07/28/16 23:51

Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbv</u>
Chloroprene	2.25	8.16		0.010



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency - OAQPS

109 T.W. Alexander Drive

Research Triangle Park, NC 27709

ATTN: Mr. Dave Shelow

PHONE: (919) 541-2364 FAX: -

FILE #: 0344.00

REPORTED: 08/05/16 09:09

SUBMITTED: 07/26/16 to 07/28/16

AQS SITE CODE:

SITE CODE: Chloroprene

Description: Levee

Lab ID: 6072822-01

Sampled: 07/27/16 12:27

Pressure @ Receipt: 7.50" Hg

Canister #: A21000

Received: 07/28/16 10:36

Comments: PR-7 Start 12:23 7/26/16

Analyzed: 07/29/16 00:54

Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbv</u>
Chloroprene	ND	ND	U	0.010



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency - OAQPS

109 T.W. Alexander Drive

Research Triangle Park, NC 27709

ATTN: Mr. Dave Shelow

PHONE: (919) 541-2364 FAX: -

FILE #: 0344.00

REPORTED: 08/05/16 09:09

SUBMITTED: 07/26/16 to 07/28/16

AQS SITE CODE:

SITE CODE: Chloroprene

Description: 238 Chad Baker

Lab ID: 6072822-02

Sampled: 07/27/16 12:34

Pressure @ Receipt: 7.5" Hg

Canister #: A21032

Received: 07/28/16 10:36

Comments: PR-10 Start 12:32 7/26/16

Analyzed: 07/29/16 01:58

Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbv</u>
Chloroprene	ND	ND	U	0.010



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency - OAQPS

109 T.W. Alexander Drive

Research Triangle Park, NC 27709

ATTN: Mr. Dave Shelow

PHONE: (919) 541-2364 FAX: -

FILE #: 0344.00

REPORTED: 08/05/16 09:09

SUBMITTED: 07/26/16 to 07/28/16

AQS SITE CODE:

SITE CODE: Chloroprene

Description: Ochsner Hospital C1

Lab ID: 6072822-03

Sampled: 07/27/16 12:14

Pressure @ Receipt: 7.50" Hg

Canister #: A21083

Received: 07/28/16 10:36

Comments: Col 1 PR-18 Start 12:10 7/26/16

Analyzed: 07/29/16 03:01

Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbv</u>
Chloroprene	0.989	3.59		0.010



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency - OAQPS

109 T.W. Alexander Drive

Research Triangle Park, NC 27709

ATTN: Mr. Dave Shelow

PHONE: (919) 541-2364 FAX: -

FILE #: 0344.00

REPORTED: 08/05/16 09:09

SUBMITTED: 07/26/16 to 07/28/16

AQS SITE CODE:

SITE CODE: Chloroprene

Description: Ochsner Hospital C2

Lab ID: 6072822-04

Sampled: 07/27/16 12:14

Pressure @ Receipt: 8.50" Hg

Canister #: 5024

Received: 07/28/16 10:36

Comments: Col 2 PR-9 Start 12:10 7/26/16

Analyzed: 07/29/16 04:05

Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbv</u>
Chloroprene	1.02	3.70		0.010



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency - OAQPS

109 T.W. Alexander Drive

Research Triangle Park, NC 27709

ATTN: Mr. Dave Shelow

PHONE: (919) 541-2364 FAX: -

FILE #: 0344.00

REPORTED: 08/05/16 09:09

SUBMITTED: 07/26/16 to 07/28/16

AQS SITE CODE:

SITE CODE: Chloroprene

Description: Acorn and Hwy 44

Lab ID: 6072822-05

Sampled: 07/27/16 12:23

Pressure @ Receipt: 7.5" Hg

Canister #: A21053

Received: 07/28/16 10:36

Comments: PR-5 Start 12:18 7/26/16

Analyzed: 07/29/16 07:16

Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbv</u>
Chloroprene	0.471	1.71		0.010



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency - OAQPS

109 T.W. Alexander Drive

Research Triangle Park, NC 27709

ATTN: Mr. Dave Shelow

PHONE: (919) 541-2364 FAX: -

FILE #: 0344.00

REPORTED: 08/05/16 09:09

SUBMITTED: 07/26/16 to 07/28/16

AQS SITE CODE:

SITE CODE: Chloroprene

Description: Fifth Ward Elementary School

Lab ID: 6072822-06

Sampled: 07/27/16 12:30

Pressure @ Receipt: 8.0" Hg

Canister #: 5074

Received: 07/28/16 10:36

Comments: PR-2 Start 12:27 7/26/16

Analyzed: 07/29/16 08:19

Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbv</u>
Chloroprene	ND	ND	U	0.010



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency - OAQPS

109 T.W. Alexander Drive

Research Triangle Park, NC 27709

ATTN: Mr. Dave Shelow

PHONE: (919) 541-2364 FAX: -

FILE #: 0344.00

REPORTED: 08/05/16 09:09

SUBMITTED: 07/26/16 to 07/28/16

AQS SITE CODE:

SITE CODE: Chloroprene

Description: East St. John the Baptist High

Lab ID: 6072822-07

Sampled: 07/27/16 12:10

Pressure @ Receipt: 5.5" Hg

Canister #: 5045

Received: 07/28/16 10:36

Comments: PR-19 Start 12:02 7/26/16

Analyzed: 07/29/16 09:22

Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbv</u>
Chloroprene	0.054	0.20		0.010



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency - OAQPS

109 T.W. Alexander Drive

Research Triangle Park, NC 27709

ATTN: Mr. Dave Shelow

PHONE: (919) 541-2364 FAX: -

FILE #: 0344.00

REPORTED: 08/05/16 09:09

SUBMITTED: 07/26/16 to 07/28/16

AQS SITE CODE:

SITE CODE: Chloroprene

Analyte	Result	Units	Source Result	RPD	RPD Limit	Notes
---------	--------	-------	---------------	-----	-----------	-------

Air Toxics by EPA Compendium Method TO-15 - Quality Control

Batch B6G2809 - Summa Canister Prep

Blank (B6G2809-BLK1)

Prepared: 07/20/16 Analyzed: 07/28/16

Chloroprene	ND	ppbv				U
-------------	----	------	--	--	--	---

Duplicate (B6G2809-DUP1)

Source: 6072631-05

Prepared: 07/24/16 Analyzed: 07/28/16

Chloroprene	2.65	ppbv	2.61	1.58	25	
-------------	------	------	------	------	----	--

Duplicate (B6G2809-DUP2)

Source: 6072631-06

Prepared: 07/24/16 Analyzed: 07/28/16

Chloroprene	2.77	ppbv	2.76	0.170	25	
-------------	------	------	------	-------	----	--

Duplicate (B6G2809-DUP3)

Source: 6072822-03

Prepared: 07/27/16 Analyzed: 07/29/16

Chloroprene	1.02	ppbv	0.99	3.41	25	
-------------	------	------	------	------	----	--

Duplicate (B6G2809-DUP4)

Source: 6072822-04

Prepared: 07/27/16 Analyzed: 07/29/16

Chloroprene	1.05	ppbv	1.02	3.40	25	
-------------	------	------	------	------	----	--



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency - OAQPS

109 T.W. Alexander Drive

Research Triangle Park, NC 27709

ATTN: Mr. Dave Shelow

PHONE: (919) 541-2364 **FAX:** -

FILE #: 0344.00

REPORTED: 08/05/16 09:09

SUBMITTED: 07/26/16 to 07/28/16

AQS SITE CODE:

SITE CODE: Chloroprene

Analyte	Result	Units	% Difference	Limit (%)	Notes
---------	--------	-------	--------------	-----------	-------

Air Toxics by EPA Compendium Method TO-15 - Quality Control

Sequence 1607063

Calibration Check (1607063-CCV1)

Prepared & Analyzed: 07/28/16

Chloroprene	1.02	ppbv	-7.0	30.00
-------------	------	------	------	-------



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency - OAQPS

109 T.W. Alexander Drive

Research Triangle Park, NC 27709

ATTN: Mr. Dave Shelow

PHONE: (919) 541-2364 **FAX:** -

FILE #: 0344.00

REPORTED: 08/05/16 09:09

SUBMITTED: 07/26/16 to 07/28/16

AQS SITE CODE:

SITE CODE: Chloroprene

Notes and Definitions

U	Under Detection Limit
ND	Analyte NOT DETECTED
NR	Not Reported
MDL	Method Detection Limit
RPD	Relative Percent Difference

Note: The test results meet all requirements of NELAC; however the following analytes are not accredited: 1,2,4-trimethylbenzene, 1,2-dibromoethane, 1,2-dichloropropane, 1,3,5-trimethylbenzene, 1,3-butadiene, acetylene, acrolein, bromochloromethane, bromodichloromethane, bromoform, carbon disulfide, dibromochloromethane, dichlorodifluoromethane, dichlorotetrafluoroethane, ethyl acrylate, ethyl tert butyl ether, hexachloro-1,3-butadiene, octane, propylene, tert amyl methyl ether, tetrachloroethylene, tran-1,2-dichloroethylene, trichlorofluoromethane, and trichlorotrifluoroethane.